

SECTION 5: FRAMELESS BALUSTRADE SYSTEMS	INDEX
Product	Page
Infinity Balustrade Face Fix	5.1 - 5.3
Infinity Balustrade Top Fix	5.4 - 5.5
Infinity Fixings	5.6
Powder Coat Standard Colour Range	5.7
Aluminium Link Rail for 12mm and 15mm Glass	5.8 - 5.10
25mm Satin Stainless Link Rail to suit 12mm Glass	5.11
40mm Polished Stainless Link Rail for 12mm to 21.5mm Glass	5.12
Panel Clamps up to 12mm Glass	5.13
Balustrade Panel Clamps for 12mm to 21.5mm Glass	5.14
PosiGlaze Balustrade	5.15 - 5.18
50mm Diameter Disc Fittings	5.18
50mm Disc Fitting Components and Fixings	5.19 - 5.20
75mm Disc Fittings	5.21
75mm Disc Fixings	5.22
JH165 Face Fix Clamp	5.23
JH165 Face Fix Clamp Fixings	5.24
Aluminium Mini Post Face Fix	5.25
Aluminium Mini Post Top Fix Concealed Fixing	5.26
Aluminium Mini Post Top Fix Exposed Fixings	5.27
Aluminium Mini Post Fixings	5.28
Edge Tech Matador Mini Post	5.29
Handrail Brackets	5.30
Pool Gate Hinges Laguna	5.31 - 5.32
Pool Gate Hinges Malibu	5.33 - 5.34
Pool Gate Latches	5.35 - 5.36
Pool Gate Atlantic Soft Close Hinges	5.37 - 5.38
Pool Gate Pivot Components	5.39



### FRAMELESS BALUSTRADE SYSTEMS

## **Infinity Balustrade Face Fix Components**

Product	Code	Description	Price
	IB-IC	INNER COVER – With bulb seal IB-IC-N-5000 Natural anodised IB-IC-N-2500 Natural anodised	Length
118		IB-IC-M-5000 Mill aluminium IB-IC-M-2500 Mill aluminium	
		IB-IC-P-5000 Powder coat IB-IC-P-2500 Powder coat All powder coat colours are to order. Orders under 30 lineal metres will have short run surcharge. Non standard colours in the Juralco range will have a surcharge. P.O.A.	
	IB-OC	STANDARD OUTER COVER – With bulb seal IB-OC-N-5000 Natural anodised IB-OC-N-2500 Natural anodised	
124		IB-OC-M-5000 Mill aluminium IB-OC-M-2500 Mill aluminium	
		IB-OC-P-5000 Powder coat IB-OC-P-2500 Powder coat All powder coat colours are to order. Orders under 30 lineal metres will have a short run surcharge. Non standard colours in the Juralco range will have a surcharge. P.O.A.	
los:	IB-FOC	FLAT OUTER COVER – With bulb seal IB-FOC-N-5000 Natural anodised IB-FOC-N-2500 Natural anodised	
		IB-FOC-M-5000 Mill aluminium IB-FOC-M-2500 Mill aluminium	
		IB-FOC-P-5000 Powder coat IB-FOC-P-2500 Powder coat All powder coat colours are to order. Orders under 30 lineal metres will have a short run P/C surcharge. For standard powder coat colours see page 5.7.	



## **Infinity Balustrade Face Fix Components**

Product	Code	Description	Price Each
	IB-CB12 IB-CB15 IBCB-17	CLAMP KIT – For 12mm and 13.52 glass CLAMP KIT – For 15mm glass CLAMP KIT – For 17.52mm glass	
	IB-SP-1	INNER COVER SPACER – 1mm thick IB-SP-1-SF Silver frost IB-SP-1-M Mill aluminium IB-SP-1-PC Powder coat	
	IB-SP-5	INNER COVER SPACER – 5mm thick IB-SP-5-SF Silver frost IB-SP-5-M Mill aluminium IB-SP-5-PC Powder coat	
000	IB-SP-15	INNER COVER SPACER – 15mm thick IB-SP-15-SF Silver frost IB-SP-15-M Mill aluminium IB-SP-15-PC Powder coat	
•	IB-EC	STANDARD OUTER COVER END CAP IB-EC-N Natural anodised IB-EC-M Mill aluminium IB-EC-PC Powder coat	
	IB-ECF	FLAT OUTER COVER END CAP IB-ECP-N Natural anodised IB-ECP-M Mill aluminium IB-ECP-PC Powder coat	

For standard power coat colours refer to page 5.7



### FRAMELESS BALUSTRADE SYSTEMS

## **Infinity Balustrade Face Fix Components**

Product	Code	Description	Price Each
	IB-EX	IB-EX-CORNER External corner block to support outer covers Matt black finish	
	IB-IN	IB-IN-CORNER Block to support outer covers Matt black finish	



## **Infinity Balustrade Top Fix**

Product	Code	Description	Price
	IBT-BC	BASE PLATE SECTION to ensure alignment of clamps IBT-BC-N-5000 Natural Anodised IBT-BC-N-2500 Natural Anodised	
		IBT-BC-M-5000 Mill aluminium IBT-BC-M-2500 Mill aluminium	
		IBT-BC-P-5000 Powder coat IBT-BC-P-2500 Powder coat All powder coat colours are to order. Orders under 30 lineal metres will have a short run surcharge. Non standard colours in the Juralco range will have a surcharge P.O.A.	
TA	IBT-OC	OUTER COVER PLATES WITH BULB SEAL Cover plates required each side of clamps IBT-OC-N-5000 Natural anodised IBT-OC-N-2500 Natural anodised	
		IBT-OC-M-5000 Mill aluminium IBT-OC-M-2500 Mill aluminium	
		IBT-OC-P-5000 Powder coat IBT-OC-P-2500 Powder coat All powder coat colours are to order. Orders under 30 lineal metres will have a short run surcharge. Non standard colours in the Juralco range will have a surcharge P.O.A.	
	IBT-C12 IBT-C15 IBT-C17	TOP FIX CLAMPS Clamp kit for 12mm and 13.52mm glass Clamp kit for 15mm glass Clamp kit for 17.52mm glass	Each

For standard power coat colours refer to page 5.7



### FRAMELESS BALUSTRADE SYSTEMS

## **Infinity Balustrade Top Fix**

Product	Code	Description	Price
	IBT-EC	TOP FIX END CAPS End cap with screw fixings IBT-EC-N Natural anodised	
		IBT-EC-M Mill aluminium	
		IBT-EC-P Powder coat	
	IBT-SP	BASE PLATE PACKERS To align clamps if floor uneven Pack at clamp positions IBT-SP1-SF 1mm packer in Silver frost IBT-SP5-SF 5mm packer in Silver frost Silver frost is to match Natural anodised finish	
		IBT-SP1-M 1mm packer in Mill aluminium IBT-SP5-M 5mm packer in Mill aluminium	
		IBT-SP1-PC 1mm packer in Powder coat IBT-SP5-PC 5mm packer in Powder coat	





## **Infinity Balustrade Fixings**

Product	Code	Description	Price
		TYPICAL TIMBER FIXINGS	
	WF12-120	M12 x 120mm COACH SCREW & WASHER Stainless steel For face fix installation When not using 15mm spacer	
	WF12-130	M12 x 130mm COACH SCREW & WASHER Stainless steel For face fix installation	
	WF12-160	M12 x 160mm COACH SCREW & WASHER Stainless steel For top fix installation	
	SIKA-SG	SIKA SUPERGRIP CARTRIDGE For all bonding of all wood fixings	
	FIS-V	FISCHER FIS-V 300T MASONRY ANCHOR FIX CARTRIDGE For bonding of rods into concrete	
		TYPICAL CONCRETE FIXINGS	
	MF12-150	M12 x 150mm THREADED ROD, HEX NUT & WASHER Stainless steel For face fix & top fix installations	
	TF12-120	M12 x 120mm LAG SCREW, HEX NUT & WASHER Stainless steel For extra high wind zone pool fence only (Face fix)	



#### FRAMELESS BALUSTRADE SYSTEMS





### FRAMELESS BALUSTRADE SYSTEMS

# Aluminium Link Rail for 12mm and 15mm Toughened Glass

Product	Code	Description	Price
		ALUMINIUM LINK RAIL 38 x 30	
38	ET220-5.8-N	5800mm Natural anodised	
	ET220-2.9-N	2900mm Natural anodised	
22.1	ET220-5.8-M	5800mm Mill aluminium	
	ET220-2.9-M	2900mm Mill aluminium	
	ET220-5.8-P	5800mm Powder coat	
	ET220-2.9-P	2900mm Powder coat *Powder coat terms as per below	
	ETG12/2.9	2900mm LINK RAIL GASKET To suit 12mm glass	
	ETG15/2.9	2900mm LINK RAIL GASKET To suit 15mm glass	
	ET30	180° STRAIGHT JOINER	
	ET31	90° CORNER JOINER	
	ET37-N ET37-M ET37-P	END CAP Natural anodised END CAP Mill aluminium END CAP Powder coat	

NOTE: All powder coat colours are to order. Orders under 30 lineal metres will have a short run surcharge. Non standard colours in the Juralco range will have a surcharge P.O.A. For standard colour range see page 5.7.



#### FRAMELESS BALUSTRADE SYSTEMS

## **Aluminium Link Rail Components**

Product	Code	Description	Price
		WALL MOUNT END PLATES	
	ET40-LH-N	Silver Frost P.C. to match Natural anodised	
	ET40-RH-N	Silver Frost P.C. to match Natural anodised	
	ET40-LH-M	Mill stainless steel	
NOTE:	ET40-RH-M	Mill stainless steel	
Image is Left hand	ET40-LH-P	Powder coat	
	ET40-RH-P	Powder coat	
•		SOLID POST AND WALL MOUNT END PLATES	
	ET38-N	Silver Frost P.C. to match Natural anodised	
•	ET38-M	Mill stainless steel	
	ET38-P	Powder coat	
		POST MOUNT END PLATES	
	ET42-N	Silver Frost P.C. to match Natural anodised	
	ET42-M	Mill stainless steel	
	ET42-P	Powder coat	

NOTE: All powder coat colours are to order. Orders under 20 lineal metres will have a short run surcharge. Non standard colours in the Juralco range will have a surcharge P.O.A. For standard colour range see page 5.7.





## **Aluminium Link Rail Components**

Product	Code	Description	Price
		TWO PIECE 90° CORNER CONNECTOR	
	ET45-N	Silver Frost P.C. to match Natural anodised	
	ET45-M	Mill Aluminium	
M6 x 25 C/S SS machine screw	ET45-P	Powder coat	
		TWO PIECE ADJUSTABLE CORNER CONNECTOR 180° TO 90°	
	ET46-P	Silver Frost P.C. to match Natural anodised	
	ET46-M	Mill Aluminium finish	
M6 x 25 C/S SS machine screw	ET46-P	Powder coat	
		TWO PIECE ADJUSTABLE STAIRWAY CONNECTOR	
0	ET47-P	Silver Frost P.C. to match Natural anodised	
	ET47-M	Mill Aluminium	
	ET47-P	Powder coat	



#### FRAMELESS BALUSTRADE SYSTEMS

## 25mm Satin Stainless Link Rail to suit 12mm Glass

Product	Code	Descrip	otion	Price
21 25	JET/490/5.8	SSS	MINI INTERLINKING TOP RAIL 25mm x 21mm 5800mm	
	JET/490GT/12/2.9	BLK	Mini Link Rail Gasket to suit 12mm	
5.0	JET496	SSS	NON HANDED WALL BRACKET	
	JET497/RH	SSS	WALL BRACKET RH RIGHT HAND	
	JET497/LH	SSS	WALL BRACKET LH LEFT HAND	
	JET491	SSS	180°INLINE JOINER	
	JET492	SSS	END CAP	
	JET493	SSS	90° FIX CORNER JOINER	
45 dog 90 dog	JET494	SSS	90 - 45° HORIZONTAL JOINER	
45 deg	JET495	SSS	90 - 45° VERTICAL JOINER	



#### FRAMELESS BALUSTRADE SYSTEMS

### 40mm Polished Stainless Link Rail for 12-21.5mm Glass

Product	Code	Descrip	otion	Price
30 30	ET/430/5.8/PSS	PSS	PSS 316L INTERLINKING TOP RAIL 40mm x 30mm 5800mm	
o e	ET/430GT/12/2.9	Black	PSS INTERLINKING TOP RAIL 12mm Gasket 2900mm	
00	ET/430GT/15/2.9	Black	PSS INTERLINKING TOP RAIL 15mm Gasket 2900mm	
	ET436/PSS	PSS	PSS 2205 WALL BRACKET	
	ET437/RH/PSS	PSS	PSS 2205 WALL BRACKET RIGHT HAND	
	ET437/LH/PSS	PSS	PSS 2205 WALL BRACKET LEFT HAND	
	ET431/PSS	PSS	PSS 2205 INTERLINKING RAIL 180°INLINE JOINER	
	ET432/PSS	PSS	PSS 2205 INTERLINKING END CAP	
	ET433/PSS	PSS	PSS 2205 INTERLINKING 90° JOINER	
45 dog 90 deg	ET434/PSS	PSS	PSS 2205 INTERLINKING RAIL 90 - 45° HORIZONTAL JOINER	
45 deg	ET435/PSS	PSS	PSS 2205 INTERLINKING RAIL 90 - 45° VERTICAL JOINER	



### FRAMELESS BALUSTRADE SYSTEMS

## Panel Clamp up to 12mm thick

Product	Code	Description	Price
0	SS200	SATIN STAINLESS STEEL GLASS CLAMP No glass preparation required 35kg per clamp loading 316 stainless steel Specify glass thickness to be clamped 8mm, 10mm, 12mm	
	SP202	SECURITY PIN can be fitted into SS200 x SS201 clamps	
	Cap - 37w	WOOD FIX CAP SCREW 14G x 37mm SS WOOD FIX CAP SCREW 14G x 50mm SS	
	Cap - 25T	METAL THREAD CAP SCREW M8 x 25mm	



#### FRAMELESS BALUSTRADE SYSTEMS

## **Balustrade Glass Clamps for 12-21.5mm Glass**

Can be used with toughened laminate instead of a Link Rail

Product	Code	Descri	ption	Price
00	JET70/PSS	PSS	EDGETEC 90° 12-15.5mm GLASS CLAMP 2205 Stainless	
00	JET70/SSS	SSS		
	JET71/PSS	PSS	EDGETEC 180° 12-15.5mm GLASS CLAMP 2205 Stainless	
00	JET71/SSS	SSS		
	JET72/PSS	PSS	EDGETEC WALL FIX 90° 12-15.5mm GLASS CLAMP 2205 Stainless	
	JET72/SSS	SSS		
00	JET73/PSS	PSS	EDGETEC 90-180° ADJUSTABLE 12-15.5mm GLASS CLAMP 2205 Stainless	
	JET73/SSS	SSS		
	JET80/PSS	PSS	EDGETEC 90° 17.2-21.52mm GLASS CLAMP 2205 Stainless	
	JET80/SSS	SSS		
	JET81/PSS	PSS	EDGETEC 180° 17.2-21.52mm GLASS CLAMP 2205 Stainless	
	JET81/SSS	SSS		
	JET82/PSS	PSS	EDGETEC WALL FIX 90° 17.2-21.52mm GLASS CLAMP	
	JET82/SSS	SSS	2205 Stainless	
00	JET83/PSS	PSS	EDGETEC 90-180° ADJUSTABLE 17.2-21.52mm GLASS CLAMP	
00	JET83/SSS	SSS	2205 Stainless	



#### FRAMELESS BALUSTRADE SYSTEMS

## PosiGlaze Glass Balustrade System

Product	Code	Description	Price per Length
	PG120B-N PG120B-M	POSIGLAZE BASE FIX SYSTEM For Glass thickness 12mm, 13.52mm, 15mm, 17.52mm, 19mm 3000mm kit comes complete with top seal strips, gaskets, 12 clamps channel joiners and spanner Natural Anodised Mill Finish with two PGSC side covers	
	PG120S-N PG120S-M	POSIGLAZE FACE FIX SYSTEM For Glass thickness 12mm, 13.52mm, 15mm, 17.52mm, 19mm 3000mm kit comes complete with top seal strips, gaskets, 12 clamps, channel joiners and spanner Natural Anodised Mill Finish	

<sup>\*</sup>Powdercoating available on request.

<sup>\*</sup>When ordering please specify glass thickness.



#### FRAMELESS BALUSTRADE SYSTEMS

## PosiGlaze Glass Balustrade System

NOTE: 21.52mm Glass Only.

For 21.52mm Glass Posi Glaze requires 15 clamps per 3000mm length.

Product	Code	Description	Price per Length
	PG120B-N PG120B-M	POSIGLAZE BASE FIX SYSTEM To suit 21.52mm Glass only 3000mm kit comes complete with top seal strips, gaskets, 15 clamps channel joiners and spanner Natural Anodised Mill Finish with two PGSC side covers	
	PG120S-N PG120S-M	POSIGLAZE FACE FIX SYSTEM To suit 21.52mm Glass only 3000mm kit comes complete with top seal strips, gaskets, 15 clamps, channel joiners and spanner Natural Anodised Mill Finish	

<sup>\*</sup>Powdercoating available on request.



#### FRAMELESS BALUSTRADE SYSTEMS

## **PosiGlaze Glass Balustrade System Components**

Product	Code	Description	Price per Length
(am)	PGBC	BASE FIX CHANNEL Stock length: 3000mm	
(8)	PGSC	FACE FIX CHANNEL Stock length: 3000mm	
	PGTS	TOP SEAL STRIP Natural Anodised Stock length: 3000mm	
	PGTSM	Mill Finish Stock length: 3000mm	
	PGSCL PGSCLM	SIDE CLADDING Natural Anodised Stock length: 3000mm	
	1 GOOLW	Mill Finish Stock length: 3000mm	

<sup>\*</sup>Powdercoat P.O.A





## **PosiGlaze Glass Balustrade System Components**

Product	Code	Description	Price
	PGC12 PGC15 PGC19 PGC13 PGC17 PGC21	Glass Clamp - to suit 12mm Glass Clamp - to suit 15mm Glass Clamp - to suit 19mm Glass Clamp - to suit 13.5mm Glass Clamp - to suit 17.5mm Glass Clamp - to suit 21.5mm	per clamp
	PGCD	Channel Joiners	per pair
	PG-BF-EC	Base Fix End Caps  Natural Anodised 72mm wide  Mill Finish 76mm wide	per cap
	PG-SF-EC	Side Fix End Caps  Natural Anodised 74mm wide  Mill Finish 74mm wide	per cap
6	PGSPN	Spanners	each
	PGBS	Bulb Seal (specify glass thickness to suit)	per metre



#### FRAMELESS BALUSTRADE SYSTEMS

# **50mm Face Fix Disc Fittings**

Specify glass thickness / Glass Hole 25mm

Product	Code	Description	Price
30mm d d	ET50/S30	HEAVYWEIGHT ANCHOR 316SSS 50mm diameter with square edge head 30mm standoff Specify glass thickness ET/530/SSS in 316 satin stainless ET/530/PSS in 316 polished stainless	
30	ET50/T30	HEAVYWEIGHT ANCHOR 316SSS 50mm diameter button head 30mm standoff Specify glass thickness ET/T30/SSS in 316 satin stainless ET/T30/PSS in 316 polished stainless	
	ET50/T30/PC	POWDER COATED ALUMINIUM WITH STEPPED DISC HEAD Powder coated to order Specify glass thickness For orders of less than 20 units a short run powder coat charge may apply. For standard powder coat colours see page 5.7	





## **50mm Disc Components**

Product	Code	Description	Price
	ET50/CSK	50mm Dia x 6mm CSK Disc M10 316 SSS	
8	SD50-B	50mm Dia Stepped Disc 10mm thick head with Gasket SD50-SSS 316 Satin Stainless SD50-PSS 316 Polished Stainless	
	ET50/6/S	50mm Dia x 6mm Spacer with Clearance hole for M10 Rod 316 SSS	
30 50	MB50-B30	50mm Dia x 30mm Body M10 316 SSS	
× 50	MB50-BX	50mm Dia Special Length Body Specify X. X = length 316 SSS	
	FG-50	50mm Dia x 0.8mm Black Fibre Gasket	
	NB-20	19.5mm Dia Nylon Bush to suit M10 & M12 Rod	
68.0	SP19-50	ANCHOR SPANNER TO SUIT 19mm to 50mm diameter Anchors	



#### FRAMELESS BALUSTRADE SYSTEMS

## **50mm Disc Fittings**

Product	Code	Description	Price
	M10-R50R M10-R130R	STAINLESS STEEL RODS M10 x 50mm M10 x 130mm	
	M10-100SL M10-120SL	STAINLESS STEEL LAG SCREW M10 x 100mm M10 x 120mm	
	M10-HN	M10 HEX NUT SS	
	M10-DN	M10 DOME NUT SS	
	M10-30 M10-5HR	WASHERS M10 x 30mm Dia 2.5mm SS M10 SPRING WASHER SS	
	M10-SQ	FLAT SQUARE WASHER 50 x 50 x 3 SS	
FG-50		FIBRE GASKET 50mm Dia 0.8mm thick Black For internal or external applications	



#### FRAMELESS BALUSTRADE SYSTEMS

## 75mm Face Fix Single Disc Fittings

Specify glass thickness

Product	Code	Description	Price
A A A A A A A Concrete fix	JET75/S/T30	HEAVYWEIGHT SINGLE DISC 75mm diameter disc Suitable for single line installations 30mm Standoff Finish 316SSS Suitable for 12mm & 15mm toughened glass Specify glass thickness Suitable for fixing to timber concrete or steel Glass hole 25mm	
Timber fix	JET75/T30-P	HEAVYWEIGHT SINGLE DISC 75mm diameter disc Suitable for single line installations 30mm Standoff Hidden fixing head Powder coated aluminium Suitable for 12mm & 15mm toughened glass Suitable for fixing to timber concrete or steel Made of aluminium and powder coated customers specification  All powder coat colours are to order Minimum order 15 units If less a short run surcharge will apply Non standard colours from the Juralco range will incur a surcharge. P.O.A. For standard powder coat colours refer to page 5.7	



#### FRAMELESS BALUSTRADE SYSTEMS

## 75mm Face Fix Single Disc Fixings

Product	Code	Description	Price
	M12-120L	STAINLESS STEEL LAG SCREW M12 X 120mm for timber fixing To be used in conjunction with 3 x BB-125 Bugle screws per disc fitting	
	BS-125	STAINLESS STEEL BUGLE SCREWS 14G X 125mm to be used in conjunction with the above lag screw for timber fixing	
	M12X180R	STAINLESS STEEL THREADED ROD M12 X 180mm for concrete fixing	
	FG-75	FIBRE GASKET 75mm Dia 0.8mm thick Black	
/}	SIKA-SG	SIKA SUPERGRIP CARTRIDGE For all bonding of all wood fixings	
	FIS-V	FISCHER FIS-V 300T MASONRY ANCHOR FIX CARTRIDGE For bonding of rods into concrete	



#### FRAMELESS BALUSTRADE SYSTEMS

## **JH165 Face Fix Clamps**

For installation details request the JH clamp technical brochure

Product	Code	Description	Price
	JH165	CLAMP FIXING WITH DOUBLE POINT FIXING to the structure 30mm stand off Aluminium construction Powder coated to customers specification  All powder coat colours are to order Minimum order 15 units If less a short run surcharge will apply Non standard colours from the Juralco range will incur a surcharge. P.O.A. Non standard colours from the Juralco range will incur a surcharge. P.O.A.	
	JH165-BKT	HIDDEN FIXING ANGLE BRACKET These brackets are fitted to the JH clamp to allow the fixing decking timber to conceal the JH clamps  Powder coating terms as per above For standard powder coat colours refer to page 5.7	



#### FRAMELESS BALUSTRADE SYSTEMS

## **JH165 Face Fix Clamps**

Product	Code	Description	Price
	WF10-130	M10 x 130mm COACH SCREW & WASHER Stainless steel For fixing into double joists Two fixings per JH165 clamp	
	WF10-180	M10 x 180mm COACH SCREW & WASHER Stainless steel For fixing into triple joists Two fixings per JH165 clamp	
	MF10-130	M10 x 130mm THREADED ROD, HEX NUT & WASHER Stainless steel Concrete fixing Two fixings per JH165 clamp	
7	SIKA-SG	SIKA SUPERGRIP CARTRIDGE For all bonding of all wood fixings	
	FIS-V	FISCHER FIS-V 300T MASONRY ANCHOR FIX CARTRIDGE For bonding of rods into concrete	



#### FRAMELESS BALUSTRADE SYSTEMS

## **Aluminium Mini Post Face Fix**

Product	Code	Description	Price
		m toughened glass domestic C3 balustrades and pool fences	
	MPF-S	Post in Silver Frost P/C	
	MPF-P	Powder coat colour to order If less than ten posts a powder coat surcharge will apply Non standard colours from the Juralco range will have a surcharge. P.O.A.	
	MF10-130	CONCRETE FIXING M10 x 130 threaded rod, hex nut & washer SS	
	WF10-130	TIMBER FIXING M10 x 130 Coach Screw & Washer SS	

NOTE: For standard powder coat colours see page 5.7.



#### FRAMELESS BALUSTRADE SYSTEMS

## **Aluminium Mini Post Top Fix Concealed Fixing**

Product	Code	Description	Price
	To suit 12mm toughened glass Suitable for domestic C3 balustrades and pool fences		
	MPT-CS	Post in Silver Frost Finish P/C	
	MPT-CP	Powder coat colour to order If less than ten posts a powder coat surcharge will apply Non standard colours from the Juralco range will have a surcharge. P.O.A.	
	CSM-120	Masonry Fixing CSK Sleeve Anchor for masonry fixing M10 x 120mm SS	
mmmmm.	CSW-120	Timber Fixing M10 x 120 CSK coach screw SS	
	SF-30	Steel Fixing CSK machine screw for threading into steel structure M10 x 30 SS	

NOTE: For standard powder coat colours see page 5.7.





## **Aluminium Mini Post Top Fix Exposed Fixing**

Code	Description	Price
To suit 12mm toughened glass Suitable for domestic C3 balustrades and pool fences		
MPT-W	MINI POST with standard JET 300 base plate for timber fixing Requires 4 x M10 coach screws see page 5.28	
MPT-M	MINI POST with standard JE301 base plate for concrete or steel fixing Requires 2 x M12 fixings see page 5.29	
MPT-G	MINI POST with standard JET 137/65 Gutter bracket fixing Requires 4 x M10 fixings see page 5.29	
	Powder coat colour to order If less than ten posts a powder coat surcharge will apply Non standard colours from the Juralco range will have a surcharge. P.O.A.  NOTE: For standard powder coat colours	
	To suit 12m Suitable for MPT-W	MPT-W  MINI POST with standard JET 300 base plate for timber fixing Requires 4 x M10 coach screws see page 5.28  MPT-M  MINI POST with standard JE301 base plate for concrete or steel fixing Requires 2 x M12 fixings see page 5.29  MPT-G  MINI POST with standard JET 137/65 Gutter bracket fixing Requires 4 x M10 fixings see page 5.29  Powder coat colour to order If less than ten posts a powder coat surcharge will apply Non standard colours from the Juralco range will have a surcharge. P.O.A.



#### FRAMELESS BALUSTRADE SYSTEMS

## **Aluminium Mini Post Exposed Fixings**

Product	Code	Description	Price
	WF10-130	M10 x 130mm COACH SCREW & WASHER 316 Stainless steel Suits JET300 and JET 137/65 Fixing plates for timber installations	
	WD10-130	M10 x 140mm LAG SCREW WITH FLAT WASHER & DOME NUT 316 Stainless steel Attractive wood fixing option for JET30 timber fixing	
	CF12-130	M12 x 140mm THREADED ROD, WASHER AND DOME NUT 316 Stainless steel Suits JET301 base plate For concrete fixing 316SS	
	SIKA-SG	SIKA SUPERGRIP CARTRIDGE For all bonding of all wood fixings	
	FIS-V	FISCHER FIS-V 300T MASONRY ANCHOR FIX CARTRIDGE For bonding of rods into concrete	



#### FRAMELESS BALUSTRADE SYSTEMS


## **Edge Tech Matador Mini Post**

Product	Code	Description	Price
	ET/MP2/ SSS	STRUT POST BASE FIX 2 point fixing to substrate 2205 duplex grade Satin Stainless Steel For 12mm and 13.52 glass	
	MF12-150	THREADED ROD, FLAT WASHER & NUT Stainless Steel Fo concrete installation	
	SF-40	HEX BOLT, FLAT WASHER & NUT Steel Fix M10 x 40mm Stainless Steel	
	M12-160	STAINLESS STEEL COACH SCREW & HD FLAT WASHER Stainless Steel Fo timber installation	





#### **Balustrade Handrail Bracket**





#### FRAMELESS BALUSTRADE SYSTEMS

## **Laguna High Strength Pool Gate Hinge**


Product	Code	Description	Price Per S	ingle Hinge	
159	Pool gate hydraulic hinges with adjustable closing speed and adjustable closed position		316 SSS	316 PSS	
	LH-180 NHO	Glass to Glass Non Hold Open Suits 10mm & 12mm Glass			
110	Max gate width 1000mm  Note: When hinging gates off glass side panels ensure panels are at least one and a half times the width of the gate or the side panel is fixed back to solid structure.  When ordering specify SSS or PSS finish.				
60	LH-90 NHO	Wall to Glass Non Hold Open Centered back plate. 60mm wide. Suits 10mm & 12mm Glass			
110	Max gate width 1000mm				
60	LH-90L NHO	Wall to Glass Non Hold Open Offset back plate. 60mm wide. Suits 10mm & 12mm Glass			
110	Max gate width	1000mm			


For Glass cut out and hinge detail see page 5.33



#### FRAMELESS BALUSTRADE SYSTEMS

# Laguna Hydraulic Gate Hinges: Cut Out & installation details







Wall to Glass Cut Out

Glass to Glass Cut Out

#### Door alignment

- 1. Remove covers (E)
- 2. Loosen allen screws by 360° (D)
- 3. Adjust to required angle and retighten allen screws (D)
- 4. (C) is slotted speed valve.





These self closing hydraulic gate hinges are designed to close gates up to 1000mm wide in external and in internal installations. They are designed to be used with the range of Malibu Latches for pool gates. Hinges are Non Hold Open. The hinges are available in both glass to glass and glass to post/wall models and both models are Non Handed, meaning they can be hung on either side of the gate opening.

Gaskets are provided so the glass gate and side panels can be 10mm or 12mm toughened glass.

- 1. Remove clip on covers and install the hinges. Ensure all clearances are correct.
- 2. If gate requires alignment, loosen allen keys on both hinges by 360° as per detail B. Set the door to correct alignment and retighten allen screws.
- 3. To set closing speed, close slotted screws on both hinges then open both ¼ of a turn. Then open or close slotted valves to obtain required closing speed. Take care to ensure the valves of each hinge are synchronized so they close at equal speed.
- 4. Install clip on covers.



#### FRAMELESS BALUSTRADE SYSTEMS

## **Malibu Hydraulic Pool Gate Hinges**


Product	Code	Description	Price Per Si	ngle Hinge
125	Pool gate hydraulic hinges with adjustable closing speed and adjustable closed position		316 SSS	316 PSS
	HH-180 NHO	Glass to Glass Non Hold Open Suits 10mm & 12mm Glass		
HH-180	Max gate width	900mm		
80	HH-90 NHO	Wall to Glass Non Hold Open Centered back plate. 60mm wide. Suits 10mm & 12mm Glass		
HH-90	Max gate width	900mm		
60	HH-90L NHO	Wall to Glass Non Hold Open Offset back plate. 60mm wide. Suits 10mm & 12mm Glass		
104	Max gate width	900mm		
HH 90-L				

For Glass cut out and hinge detail see page 5.35




#### FRAMELESS BALUSTRADE SYSTEMS

# Malibu Hydraulic Gate Hinges: Cut Out & installation details









Glass to Glass Cut Out

#### Door alignment

- 1. Remove covers (E)
- 2. Loosen allen screws by 360° (D)
- 3. Adjust to required angle and retighten allen screws (D)
- 4. (C) is slotted speed valve.





These self closing hydraulic gate hinges are designed to close gates up to 900mm wide in external and in internal installations. They are designed to be used with the range of Malibu Latches for pool gates. Hinges are Non Hold Open. The hinges are available in both glass to glass and glass to post/wall models and both models are Non Handed, meaning they can be hung on either side of the gate opening.

Gaskets are provided so the glass gate and side panels can be 10mm or 12mm toughened glass.

- 1. Remove clip on covers and install the hinges. Ensure all clearances are correct.
- 2. If door requires alignment, loosen allen keys on both hinges by 360° as per detail B. Set the door to correct alignment and retighten allen screws.
- 3. To set closing speed, close slotted screws on both hinges then open both ¼ of a turn. Then open or close slotted valves to obtain required closing speed. Take care to ensure the valves of each hinge are synchronized so they close at equal speed.
- 4. Install clip on covers.




#### FRAMELESS BALUSTRADE SYSTEMS

## **Malibu Pool Gate Latches**


Product	Code	Description	Price	
These latches are designed to match both the Malibu and Laguna series pool gate hinges.				
	MGL-SSS	GLASS TO GLASS POOL GATE LATCH Suits 10mm & 12mm glass Finish 316 SSS		
	MGL-PSS	GLASS TO GLASS POOL GATE LATCH Suits10mm & 12mm glass Finish 316 PSS		
	MGL-P-SSS	GLASS TO POST OR WALL GATE LATCH Suits 10mm & 12mm glass Finish 316 SSS		
	MGL-P-PSS	GLASS TO POST OR WALL GATE LATCH Suits 10mm & 12mm glass Finish 316 PSS		
50	MGL-90-SSS	90° GLASS TO GLASS LATCH Suits 10mm & 12mm glass Finish 316 SSS		
	MGL-90-PSS	90° GLASS TO GLASS LATCH Suits 10mm & 12mm glass Finish 316 PSS		




# **Malibu Pool Gate Latch Preparation**



MGL - Glass to Glass



MGL-P - Wall to Post to Glass



MGL-90



**Product** 

Merchant Price List Email orders to: sales@platinumhg.co.nz

#### FRAMELESS BALUSTRADE SYSTEMS

## **Atlantic Soft Close Pool Gate Hinge Sets**

**Description** 

#### MAX GATE WIDTH 950MM Made from Duplex 2205 Stainless Steel 10mm & 12mm Toughened Glass Sold as pair for one gate CODE Description PAIR PRICE 530-GG-PSS Glass to Glass Polished 530-GG-SSS Glass to Glass Satin 530-GG-MB Glass to Glass Matt Black 530-WG-PSS Wall to Glass Polished 530-WG-SSS Wall to Glass Satin 530-WG-MB Wall to Glass Matt Black

For Glass cutout details see page 5.38.




#### FRAMELESS BALUSTRADE SYSTEMS

# **Atlantic Soft Close Pool Gate Hinge Sets Glass Cutout Details**


#### 530-GG GLASS TO GLASS CUTOUT





#### 530-WG GLASS TO WALL CUTOUT









## **Pool Gate Components**

Product	Code	Description	Price
	PWA	POOL GATE WALL MOUNT PIVOT ARM Used with on PF20 patch fitting for glass to wall Finish 316SSS	
	PGA-1	POOL GATE PATCH TO PATCH PIVOT ARM Used with 1 x PF20 and 1 x PF10 patch fittings For 180 Glass to glass installation Requires floor spring or ozone FH-100NHO closer Finish 316SSS	

